

SKILLS LEARNED

All Versions: Sew a lapped zipper, install a waistband, line a skirt. *Version 2:* Sew welt pockets. *Version 3:* Sew diagonal seamed pockets.

PATTERN LAYOUTS ARE NON-DIRECTIONAL. PLAN TO PURCHASE ADDITIONAL YARDAGE OF NAPPED AND PRINTED FABRICS.

SUPPLIES:

All-purpose polyester thread, marking pencil or chalk, point turner, one 9-inch coil zipper, one trouser clasp, hand-sewing needle, one yard of lightweight fusible interfacing.

MAIN FABRIC:

Medium to heavy bottom weight fabrics, such as wool suiting, broadcloth, boiled wool, denim, chino cloth, and other twill fabrics.

LINING FABRIC:

Lightweight polyester, cotton, acetate, silk, and rayon lining fabrics.

	0	2	4	6	8	10	12	14	16	18	20	22	24	26
BODY MEASUREMENTS (INCHES)														
BUST	33	34	35	36	37	38 1/2	40	42	44	46	48	50	52	54
WAIST	25	26	27	28	29	30 1/2	32	34	36	38	41	43	45	47
HIPS	35	36	37	38	39	40 1/2	42	44	46	49	52	54	56	58

FABRIC REQUIRED (YARDS)														
ALL VERSIONS - MAIN FABRIC														
45"	1 1/4	1 1/4	1 3/8	1 3/8	1 1/2	1 1/2	1 3/4	2	2	2	2 1/8	2 1/8	2 1/4	2 1/4
60"	1	1	1 1/8	1 1/8	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 3/8	1 3/8	1 3/8	1 1/2	1 1/2
ALL VERSIONS - LINING FABRIC														
45"	1 1/8	1 1/8	1 1/4	1 1/4	1 1/4	1 3/8	1 3/8	1 1/2	1 5/8	1 5/8	1 3/4	1 3/4	2	2
60"	1	1	1	1	1	1 1/8	1 1/8	1 3/8	1 1/2	1 1/2	1 5/8	1 5/8	1 3/4	1 3/4

FINISHED GARMENT (INCHES)														
WAIST	27 1/2	28 1/2	29 1/2	30 1/2	31 1/2	33	34 1/2	36 1/2	38 1/2	41 1/2	43 1/2	45 1/2	47 1/2	49 1/2
HIP	36	37	38	39	40	41 1/2	43	45	47	50	52	54	56	58
SWEET	36 1/2	37 1/2	38 1/2	39 1/2	40 1/2	42	43 1/2	45 1/2	47 1/2	50 1/2	52 1/2	54 1/2	56 1/2	58 1/2
BACK LENGTH*	20	20 1/4	20 1/2	20 3/4	21	21 1/4	21 1/2	21 3/4	22	22 1/4	22 1/2	22 3/4	23	23 1/4
VENT	4 3/8	4 1/2	4 5/8	4 3/4	4 7/8	5	5 1/8	5 1/4	5 3/8	5 1/2	5 5/8	5 3/4	5 7/8	6

* Back length is measured from the top of the back waistband to the hem.